



# MARREE PROJECT



## SALE OPPORTUNITY

### Southern Eromanga Basin, SA

- ✔ The Marree Project comprises three exploration licences, **EL 6913** (Mundowdna), **EL 6914** (Muloorina), and **EL 6915** (Clayton), covering a combined area of 2,966 km<sup>2</sup>.
- ✔ A Highly Prospective Uranium Project located within the Southern Eromanga Basin, ~70 km NW of the Mount Painter Uranium Field.
- ✔ The Project is considered prospective for sedimentary-hosted and silcrete-hosted uranium mineralisation.
- ✔ The Project is considered prospective for roll-front, tabular sedimentary, structurally-controlled, artesian discharge, escarpment type/fault splay, and calcrete/silcrete surficial type uranium mineralisation.

- ✔ The Project area contains prospective Cenozoic sediments, including the Eocene Eyre Formation and Miocene Namba Formation, which are known to host uranium mineralisation.
- ✔ Surface sample taken has returned 8 ppm U and 3,056 ppm V and historic drilling has returned up to 2m @ 6 ppm U from 12m.
- ✔ The Project has good coverage of geophysics requiring follow up.

More information available on request



TO EXPRESS YOUR INTEREST & FIND OUT MORE CONTACT

Orpheus Uranium Limited | +61 402 901 702 | [clinton@orpheusuranium.com](mailto:clinton@orpheusuranium.com)





# MARREE PROJECT

## SALE OPPORTUNITY

### Southern Eromanga Basin, SA

- ✔ A Highly Prospective Uranium Project Located Within the Southern Eromanga Basin, ~70 km NW of the Mount Painter Uranium Field.
- ✔ The Marree Project comprises three exploration licenses, **EL 6913** (Mundowdna), **EL 6914** (Muloorina), and **EL 6915** (Clayton), covering a combined area of 2,966 km<sup>2</sup>.
- ✔ The project is considered prospective for sedimentary-hosted and silcrete-hosted uranium mineralisation.
- ✔ The project is considered prospective for roll-front, tabular sedimentary, structurally-controlled, artesian discharge, escarpment type/fault splay, and calcrete/silcrete surficial type uranium mineralisation.
- ✔ The project area contains prospective Cenozoic sediments, including the Eocene Eyre Formation and Miocene Namba Formation, which are known to host uranium mineralisation.
- ✔ Surface sample taken has returned 8 ppm U and 3,056 ppm V and historic drilling has returned up to 2m @ 6 ppm U from 12m.
- ✔ The project also contains good coverage of geophysics requiring followup

More information available on request



**MORE INFORMATION AVAILABLE ON REQUEST - CONTACT:**

**Orpheus Uranium Limited | +61 402 901 702 | [clinton@orpheusuranium.com](mailto:clinton@orpheusuranium.com)**